



TECHNICAL DATA

Scapa 2420

Silicone rubber coated cloth tape

DESCRIPTION

Scapa 2420 is an embossed silicone rubber coated cloth with a permanent solvent based rubber/resin adhesive system, with 0.6mm total thickness with a 70 gr/m² white siliconised paper release liner. Recommended for roll covering in web processing applications.

APPLICATIONS

- Used in the coating, label and printing industries to prevent deposit and facilitates material movement.
- Suitable for covering rolls in web processing applications in order to provide anti-slip or anti-adherent surfaces.
- Prevent build-up of adhesive, ink and other deposit on web transport rollers.

PRODUCT BENEFITS

- High adhesion
- High shear resistance
- High coefficient of friction
- High continuous temperature resistance
- Cohesive adhesive
- Service temperature: -10°C to +100°C.

TECHNICAL PROPERTIES

| | Unit | Mean Value | Test Method |
|------------------------|-------------|-------------------|--------------------|
| Total Thickness | mm | 0.6 | Scapa |
| Peel adhesion on steel | N/25 mm | 5.5 | Scapa |

RECOMMENDATIONS

The rolls should be stored flat on their cut edges in the original packaging until required for use. The product must be protected from dust, heat, moisture, direct sunlight and solvent fumes. Life expectancy can vary with temperature and humidity: a maximum of 6 months is recommended from the date of shipment when product is stored between +10°C and +25°C.

Applying surfaces must be dry, free from dust, grease or other surfaces contaminants.